Author Index

Aagaard, S R	Evaluation of a novel method for measuring tissue blood flow and gases	71
Ahuja, S	Three-dimensional measurement of intervertebral kinematics *in vitro* using optical motion analysis	393
Anastassiades, T	Artefacts in the machanical characterization of porcine articular cartilage due to freezing	23
Anderson, K	Automatic wheeze detection based on auditory modelling	219
Antonelli, V	Effect of interface conditions between ultrahigh molecular weight polyethylene and polymethyl methacrylate bone cement on the mechanical behaviour of total shoulder arthroplasty	425
Arts, J J C	Cemented cup stability during lever-out testing after acetabular bone impaction grafting with bone graft substitutes mixes containing morselized cancellous bone and tricalcium phosphate-hydroxyapatite	257
Ashcroft, G P	Wire tension in the Ilizarov system: accuracy of the wire-tensioning device	355
Athanasiou, K A	Biomechanical characteristics of the normal medial and lateral porcine knee menisci	53
Athanasiou, K A	Tensile and compressive properties of the medial rabbit meniscus	337
Bader, D L	Compression-induced damage in a muscle cell model *in vitro*	1
Barink, M	A three-dimensional dynamic finite element model of the prosthetic knee joint: simulation of joint laxity and kinematics	415
Barker, D S	A circumferentially flanged tibial tray minimizes bone–tray shear	449
Beng Hai Lim	The changes in the tensile properties of tendons after freeze storage in saline solution	387
Berg, J S	Evaluation of a novel method for measuring tissue blood flow and gases	71
Berry, E	Personalised image-based templates for intra-operative guidance	111
Bersee, H E N	Effect of interface conditions between ultrahigh molecular weight polyethylene and polymethyl methacrylate bone cement on the mechanical behaviour of total shoulder arthroplasty	425
Blamey, J M	Design aspects of compliant, soft layer bearings for an experimental hip prosthesis	79
Boon Ho Ng	The changes in the tensile properties of tendons after freeze storage in saline solution	387
Bouten, C V C	Compression-induced damage in a muscle cell model *in vitro*	1
Brunski, J B	Microstrain fields for cortical bone in uniaxial tension: optical analysis method	119
Bruyninckx, H	A three-dimensional active shape model for the detection of anatomical landmarks on the back surface	129
Buma, P	Cemented cup stability during lever-out testing after acetabular bone impaction grafting with bone graft substitutes mixes containing morselized cancellous bone and tricalcium phosphate-hydroxyapatite	257
Burgess, I C	Design aspects of compliant, soft layer bearings for an experimental hip prosthesis	79
Campbell, G	Leaflet geometry extraction and parametric representation of a pericardial artificial heart valve	143
Canas, R	Leaflet geometry extraction and parametric representation of a pericardial artificial heart valve	143
Cheah, C M	Fabrication and characterization of three-dimensional poly(ether-ether-ketone)/-hydroxyapatite biocomposite scaffolds using laser sintering	183

© IMechE 2005

Chen, C-F	Design of a stability-detecting device for dental implants	203
Cheng, K-Y	Design of a stability-detecting device for dental implants	203
Chiverton, N	Personalised image-based templates for intra-operative guidance	111
Chnog, A	The changes in the tensile properties of tendons after freeze storage in saline solution	387
Chou, S M	The influence of gripping techniques on the tensile properties of tendons	349
Chua, C K	Fabrication and characterization of three-dimensional poly(ether-ether-ketone)/-hydroxyapatite biocomposite scaffolds using laser sintering	183
Chua, L P	Numerical study on the pulsatile flow characteristics of proximal anastomotic models	361
Clarke, I C	Precision and accuracy in ceramic-on-ceramic wear analyses: influence of simulator test duration	401
Clifford, M J	Rigid-body modelling of shaken baby syndrome	63
Cuppone, M	Personalised image-based templates for intra-operative guidance	111
Cuschieri, A	Development of a shape memory alloy multiple-point injector for chemotherapy	213
Dangaard, L R	Evaluation of a novel method for measuring tissue blood flow and gases	71
De Schutter, J	A semi-active milling procedure in view of preparing implantation beds in robot-assisted orthopaedic surgery	163
de Waal Malefijt, M	A three-dimensional dynamic finite element model of the prosthetic knee joint: simulation of joint laxity and kinematics	415
Denis, K	A semi-active milling procedure in view of preparing implantation beds in robot-assisted orthopaedic surgery	163
Devereux, P D	Mass transport disturbances in the distal graft/artery junction of a peripheral bypass graft	465
Dillon, D	Three-dimensional measurement of intervertebral kinematics *in vitro* using optical motion analysis	393
Donaldson, T	Precision and accuracy in ceramic-on-ceramic wear analyses: influence of simulator test duration	401
Dong, R G	Analysis of the contact interactions between fingertips and objects with different surface curvatures	89
Dorozhkin, S V	A first approach to *in vitro* simulation of vascular calcification by the controlled crystallization of poorly crystalline calcium phosphates onto porous cholesterol	477
Dorozhkina, E I	A first approach to *in vitro* simulation of vascular calcification by the controlled crystallization of poorly crystalline calcium phosphates onto porous cholesterol	477
Ee-Chon Teo	Prediction of the modal characteristics of the human spine at resonant frequency using finite element models	277
Eggbeer, D	The computer-aided design and rapid prototyping fabrication of removable partial denture frameworks	195
Eifler, D	Effect of stress ration on the fatigue behaviour of compact bone	13
Evans, S L	Three-dimensional measurement of intervertebral kinematics *in vitro* using optical motion analysis	393
Fabry, G	A semi-active milling procedure in view of preparing implantation beds in robot-assisted orthopaedic surgery	163
Fleck, C	Effect of stress ration on the fatigue behaviour of compact bone	13
Frank, T G	Development of a shape memory alloy multiple-point injector for chemotherapy	213
Friberg, B	Aerobiology in the operating room and its implications for working standards	153
Friberg, S	Aerobiology in the operating room and its implications for working standards	153
Gheduzzi, S	An *in vitro* investigation into the cement pressurization achieved during insertion of four different femoral stems	407
Ghista, D N	Numerical study on the pulsatile flow characteristics of proximal anastomotic models	361

 © IMechE 2005

Goshima, T	Effect of stress ration on the fatigue behaviour of compact bone	13
Gozzard, C	An *in vitro* investigation into the cement pressurization achieved during insertion of four different femoral stems	407
Grigoris, P	Effect of wear of bearing surfaces on elastohydrodynamic lubrication of metal-on-metal hip implants	319
Han, S-M	A comparison of ultrasonic and X-ray methods for imaging the growth plate	285
Harrison, A J L	A simple way to model wires used in ring fixators: analysis of the wire stiffness effect on overall fixator stiffness	31
Hasenkam, J M	Evaluation of a novel method for measuring tissue blood flow and gases	71
Hirt, F	Effect of wear of bearing surfaces on elastohydrodynamic lubrication of metal-on-metal hip implants	319
Holt, C A	Three-dimensional measurement of intervertebral kinematics *in vitro* using optical motion analysis	393
Hongjun Jiang	Leaflet geometry extraction and parametric representation of a pericardial artificial heart valve	143
Huang, H-M	Design of a stability-detecting device for dental implants	203
Hukins, D W L	Wire tension in the Ilizarov system: accuracy of the wire-tensioning device	355
Huysmans, T	A three-dimensional active shape model for the detection of anatomical landmarks on the back surface	129
Ikeuchi, K	Influence of proteoglycan contents and of tissue hydration on the frictional characteristics of articular cartilage	175
Isaacs, G	Effect of bone material properties on the initial stability of a cementless hip stem: a finite element study	265
Ishihara, S	Effect of stress ration on the fatigue behaviour of compact bone	13
Jin, Z M	Effect of wear of bearing surfaces on elastohydrodynamic lubrication of metal-on-metal hip implants	319
Johnstone, A J	A new design concept for wrist aerthroplasty	43
Jones, E	Design aspects of compliant, soft layer bearings for an experimental hip prosthesis	79
Joyce, T J	NeuFlex metacarpophalangeal prostheses tested *in vitro*	105
Kaddick, C	Fluid composition impacts standardized testing protocols in ultrahigh molecular weight polyethylene knee wear testing	457
Kim, D G	Microstrain fields for cortical bone in uniaxial tension: optical analysis method	119
Kim, S-H	A comparison of ultrasonic and X-ray methods for imaging the growth plate	285
Koninckx, P R	Implementation of an intuitive writing interface and a laproscopic robot for gynaecological laser assisted surgery	293
Krishna, V	The influence of gripping techniques on the tensile properties of tendons	349
Learmonth, I D	An *in vitro* investigation into the cement pressurization achieved during insertion of four different femoral stems	407
Lee, D A	Compression-induced damage in a muscle cell model *in vitro*	1
Lee, S-Y	Design of a stability-detecting device for dental implants	203
Leong, K F	Fabrication and characterization of three-dimensional poly(ether-ether-ketone)/-hydroxyapatite biocomposite scaffolds using laser sintering	183
Lin,C-T	Design of a stability-detecting device for dental implants	203
Liu, F	Effect of wear of bearing surfaces on elastohydrodynamic lubrication of metal-on-metal hip implants	319
Li-Xin Guo	Prediction of the modal characteristics of the human spine at resonant frequency using finite element models	277
Lucas, M	Automatic wheeze detection based on auditory modelling	219
Maffuli, N	Wire tension in the Ilizarov system: accuracy of the wire-tensioning device	355
Mathias, K J	Wire tension in the Ilizarov system: accuracy of the wire-tensioning device	355
McGloughlin, T	Injection-moulded models of major and minor arteries: the variability of model wall thickness due to casting technique	381

McGloughlin, T	Mass transport disturbances in the distal graft/artery junction of a peripheral bypass graft	465
McNally, D S	Rigid-body modelling of shaken baby syndrome	63
McNally, D S	A one-dimensional theoretical prediction of the effect of reduced end-plate permeability on the mechanics of the intervertebral disc	329
Miles, A W	An *in vitro* investigation into the cement pressurization achieved during insertion of four different femoral stems	407
Millner, P A	Personalised image-based templates for intra-operative guidance	111
Mitchell, C A	Engineering properties and performance of dental crowns	245
Morita, Y	Influence of proteoglycan contents and of tissue hydration on the frictional characteristics of articular cartilage	175
Morris, L	Injection-moulded models of major and minor arteries: the variability of model wall thickness due to casting technique	381
Naing, M W	Fabrication and characterization of three-dimensional poly(ether-ether-ketone)/-hydroxyapatite biocomposite scaffolds using laser sintering	183
Naka, M H	Influence of proteoglycan contents and of tissue hydration on the frictional characteristics of articular cartilage	175
New, A M R	Effect of bone material properties on the initial stability of a cementless hip stem: a finite element study	265
Ng, B H	The influence of gripping techniques on the tensile properties of tendons	349
Nicolella, D P	Microstrain fields for cortical bone in uniaxial tension: optical analysis method	119
Nikonovas, A	A simple way to model wires used in ring fixators: analysis of the wire stiffness effect on overall fixator stiffness	31
O'Brien, T	Injection-moulded models of major and minor arteries: the variability of model wall thickness due to casting technique	381
O'Callaghan, S M	Mass transport disturbances in the distal graft/artery junction of a peripheral bypass graft	465
O'Donnell, M	Injection-moulded models of major and minor arteries: the variability of model wall thickness due to casting technique	381
Oonishi, H	Precision and accuracy in ceramic-on-ceramic wear analyses: influence of simulator test duration	401
Oosterom, R	Effect of interface conditions between ultrahigh molecular weight polyethylene and polymethyl methacrylate bone cement on the mechanical behaviour of total shoulder arthroplasty	425
Orr, J F	Engineering properties and performance of dental crowns	245
Ota, M	Effect of stress ration on the fatigue behaviour of compact bone	13
Ou, K-L	Design of a stability-detecting device for dental implants	203
Porada, S	Personalised image-based templates for intra-operative guidance	111
Qiu, Y	Automatic wheeze detection based on auditory modelling	219
Rao, A	Personalised image-based templates for intra-operative guidance	111
Rekow, D	Near-surface damage – a persistent problem in crowns obtained by computer-aided design and manufacturing	233
Reynaerts, D	Implementation of an intuitive writing interface and a laproscopic robot for gynaecological laser assisted surgery	293
Richardson, H A	Precision and accuracy in ceramic-on-ceramic wear analyses: influence of simulator test duration	401
Riches, P E	A one-dimensional theoretical prediction of the effect of reduced end-plate permeability on the mechanics of the intervertebral disc	329
Rieker, C	Effect of wear of bearing surfaces on elastohydrodynamic lubrication of metal-on-metal hip implants	319
Roberts, P	Effect of wear of bearing surfaces on elastohydrodynamic lubrication of metal-on-metal hip implants	319
Ryd, L	A circumferentially flanged tibial tray minimizes bone–tray shear	449

 © IMechE 2005

Saikko, V	A hip wear simulator with 100 test stations	309
Saikko, V	A 12-station anatomic hip joint simulator	437
Schneider, E	Fluid composition impacts standardized testing protocols in ultrahigh molecular weight polyethylene knee wear testing	457
Scholes, S C	Design aspects of compliant, soft layer bearings for an experimental hip prosthesis	79
Schreurs, B W	Cemented cup stability during lever-out testing after acetabular bone impaction grafting with bone graft substitutes mixes containing morselized cancellous bone and tricalcium phosphate-hydroxyapatite	257
Schwenke, T	Fluid composition impacts standardized testing protocols in ultrahigh molecular weight polyethylene knee wear testing	457
Seedhom, B B	Personalised image-based templates for intra-operative guidance	111
Shepherd, D E T	A new design concept for wrist aerthroplasty	43
Shepherd, D E T	Wire tension in the Ilizarov system: accuracy of the wire-tensioning device	355
Siaw Meng Chou	The changes in the tensile properties of tendons after freeze storage in saline solution	387
Simon, J-P	A semi-active milling procedure in view of preparing implantation beds in robot-assisted orthopaedic surgery	163
Smith, N	Design aspects of compliant, soft layer bearings for an experimental hip prosthesis	79
Sweigart, M A	Biomechanical characteristics of the normal medial and lateral porcine knee menisci	53
Sweigart, M A	Tensile and compressive properties of the medial rabbit meniscus	337
Tan, K H	Fabrication and characterization of three-dimensional poly(ether-ether-ketone)/-hydroxyapatite biocomposite scaffolds using laser sintering	183
Tan, Y S	Numerical study on the pulsatile flow characteristics of proximal anastomotic models	361
Tang, H-W	Implementation of an intuitive writing interface and a laproscopic robot for gynaecological laser assisted surgery	293
Tanner, K E	A circumferentially flanged tibial tray minimizes bone–tray shear	449
Taylor, M	Effect of bone material properties on the initial stability of a cementless hip stem: a finite element study	265
Thompson, V P	Near-surface damage – a persistent problem in crowns obtained by computer-aided design and manufacturing	233
Unsworth, A	Design aspects of compliant, soft layer bearings for an experimental hip prosthesis	79
Unsworth, A	NeuFlex metacarpophalangeal prostheses tested *in vitro*	105
Van Audekercke, R	A three-dimensional active shape model for the detection of anatomical landmarks on the back surface	129
Van Audekercke, R	A semi-active milling procedure in view of preparing implantation beds in robot-assisted orthopaedic surgery	163
Van Brussel, H	Implementation of an intuitive writing interface and a laproscopic robot for gynaecological laser assisted surgery	293
Van der Perre, G	A three-dimensional active shape model for the detection of anatomical landmarks on the back surface	129
Van der Perre, G	A semi-active milling procedure in view of preparing implantation beds in robot-assisted orthopaedic surgery	163
Van Ham, G	A semi-active milling procedure in view of preparing implantation beds in robot-assisted orthopaedic surgery	163
van Kempen, A	A three-dimensional dynamic finite element model of the prosthetic knee joint: simulation of joint laxity and kinematics	415
van Ostayen, R A J	Effect of interface conditions between ultrahigh molecular weight polyethylene and polymethyl methacrylate bone cement on the mechanical behaviour of total shoulder arthroplasty	425

Vander Sloten, J	A three-dimensional active shape model for the detection of anatomical landmarks on the back surface	129
Vander Sloten, J	A semi-active milling procedure in view of preparing implantation beds in robot-assisted orthopaedic surgery	163
Vander Sloten, J	Implementation of an intuitive writing interface and a laproscopic robot for gynaecological laser assisted surgery	293
Verdonschot, N	Cemented cup stability during lever-out testing after acetabular bone impaction grafting with bone graft substitutes mixes containing morselized cancellous bone and tricalcium phosphate-hydroxyapatite	257
Verdonschot, N	A three-dimensional dynamic finite element model of the prosthetic knee joint: simulation of joint laxity and kinematics	415
Vloeberghs, M	Rigid-body modelling of shaken baby syndrome	63
Walsh, M	Injection-moulded models of major and minor arteries: the variability of model wall thickness due to casting technique	381
Walsh, M T	Mass transport disturbances in the distal graft/artery junction of a peripheral bypass graft	465
Wang, Y-N	Compression-induced damage in a muscle cell model *in vitro*	1
Watson, M A	Wire tension in the Ilizarov system: accuracy of the wire-tensioning device	355
Whiteside, R	Artefacts in the machanical characterization of porcine articular cartilage due to freezing	23
Whittaker, A R	Automatic wheeze detection based on auditory modelling	219
Wild, P M	Artefacts in the machanical characterization of porcine articular cartilage due to freezing	23
Willett, T L	Artefacts in the machanical characterization of porcine articular cartilage due to freezing	23
Williams, P	Precision and accuracy in ceramic-on-ceramic wear analyses: influence of simulator test duration	401
Williams, R	The computer-aided design and rapid prototyping fabrication of removable partial denture frameworks	195
Wimmer, M A	Fluid composition impacts standardized testing protocols in ultrahigh molecular weight polyethylene knee wear testing	457
Wolfson, D R	Rigid-body modelling of shaken baby syndrome	63
Wong, A S	Effect of bone material properties on the initial stability of a cementless hip stem: a finite element study	265
Wu, J Z	Analysis of the contact interactions between fingertips and objects with different surface curvatures	89
Wyss, U P	Artefacts in the machanical characterization of porcine articular cartilage due to freezing	23
Xu, W	Development of a shape memory alloy multiple-point injector for chemotherapy	213
Yu, S C M	Numerical study on the pulsatile flow characteristics of proximal anastomotic models	361
Zhang, J-M	Numerical study on the pulsatile flow characteristics of proximal anastomotic models	361

 © IMechE 2005